G. R. S. 59]

# GENERAL AND REVENUE SECRETARIAT.

1910-11
~~190~~ .
( General ) ✓

## File No. 165-10

## Serial Nos. 1

This sd. has been transferred in original to P.W.D. Secty

## Papers Filed.

*Month* November 1910

SUBJECT.

Telephonic Connection to the Disinfection and Ambulance Shed in Bangalore

| PREVIOUS REFERENCES. | LATER REFERENCES. |
|---|---|
| Gen. 57-10. 81-3. | |

G.R.S. 11] 1900-11

GENERAL AND REVENUE SECRETARIAT

(Gen mis:)

NOTES.

File No. 105 H 10, 1-

FILE HEADING.

Telephonic connections in the State.

From

The Sanitary Commissioner

No. 2274 Dated 16 11 10. Received 18. 11 10.

| Diary No. 2205 | Enclos. | Spare Copies | Serial No. 1 |
|---|---|---|---|

BRIEF ABSTRACT OF LETTER.

Forwards copy of letter No. 55 dated the 8th Nov. 1910, from the President, Civil Municipal Council, Bangalore and recommends that, as requested therein telephonic connections may be given to the Disinfection and Ambulance Stores near the Fort Gate and Epidemic Diseases Hospital.

NOTES AND ORDERS.

The Sanitary Commissioner concludes the above letter by observing that "the telephone was first introduced I believe in connection with plague — and yet that these places are not connected is incomprehensible."

2. The Majadi camp and the Disinfecting Stores

NOTES—First sheet.

GPB—15,000—24-4-09

Serial No.

2205

had originally telephonic connections, but in consequence of the decision arrived at between the Durbar and the Residency in August 1905 they had to be abandoned. Vide items nos 6 & 7 of list II received with Residency letter No. 4782 dated the 25th August 1905, a copy of which has been filed in Gen File No 57 of 1910, putup herewith

Flag Z

3. Under the principles recently enunciated by the Govt of India in regard to the construction and maintenance of telephone lines, and communicated to the Durbar in Residency letter No. 4255, dated the 16th July 1910, it does not appear necessary to obtain the previous sanction of the Govt of India to the construction of the telephonic lines recommended by the Sanitary Commission; it is enough if the proposed lines are intimated and a sketch map of them furnished to the Govt of India.

Flag Y in Gen 57-10.
Para 2 (1)(a) H(1) -

4. Draft to the Chief Engineer asking for a sketch map is submitted for approval & other orders.

GA(99) 23.11.10 VS. 41

The connection may, it is felt, be sanctioned if it is considered necessary, the fact communicated to the Residency with a sketch. The file may thereafter be transferred to the D.P.W.

22/11/10

Secy to Govt

NOTE.—Count sheet.

PB—50,000—12-8-10

G. R. S. 12 ]
General and Revenue Secretariat.

G. M. File No. 165 of 19 10

| Serial No. | |
|---|---|
| | Transfer with Subd for signature<br>VS. 41<br>23-11-10 |
| 2. | To the Secretary, PWD.<br>NOC 3178- d. 23. 11. 10<br>Transfers the above for disposal. |

7

NOTE— Contn. sheet.

GPB—50,000—12-8-10

G.R.S. 26]

File No.

Serial No.

*Diary No. of letter replied to*

No.

General and Revenue Secretariat

( )

*, the* 19

To

The Chief Engineer of Mysore

Sir,

I am directed to forward herewith copy of letter No. 2274 dated the 16th Nov. 1910, received from the Sanitary Commr. to the Govt. of Mysore, recommending that telephonic connection may be given to the Disinfection and Ambulance Stores near the Fort Gate, ~~Bangalore City~~ and the Epidemic Diseases Hospital, Bangalore City, and to request that a sketch map shewing the proposed telephonic connections to referred to above may be kindly prepared in communication with the Sanitary Commr. and forwarded to this Office at an early date.

over.

I have &c,

Date of issue

Signed by

SUBJECT.

24(69) 22/11/10

22/11/10 for Secretary

VS-41 P.T.O

Copy of the above is forwarded to the Sanitary Commr to the Govt of Mysore, for information and guidance.

By Order

for Secretary.

GAE(91)
23-11-10

*List of enclosures,*

*Copied by*

*Examined by*

GPB—20,000—12-9-10